

Teddywaddy Code Club

Activity 2e

Wycheproof Steam Train

Wycheproof Loves Steam Trains!



<https://trinket.io/html/dfc9e92808>

Wycheproof Steam Train

In this exercise you will be creating the web page, not just changing things.

Firstly, open the trinket reference shown on the front page (if you haven't already!).


The code has some blank lines where you can type in more code.

Each page has some code to type in. If you get stuck the answer is on the following page.

```
trinket Autorun
index.html
1 <html>
2 <head>
3   <title>Activity2E</title>
4   <link rel="preload" as="image" href="train.jpg">
5   <style>
6     .frame {
7
8
9
10    }
11  .headi
12
13  }
14  .train
15
16  }
17 </style>
18 </head>
19 <body>
20 <div class="fram
21
22
23
24
25
26 </div>
27 </body>
28 </html>
29
```

![A speech bubble pointing to the code editor with the text: 'Place a train picture here <img class='\](\"train.jpg\")

Remember, if you get stuck, the answer is on the next page.



Add a heading

`<h1 class="heading">Wycheproof Loves Steam Trains!</h1>`

```
12
13
14
15
16
17
18 </he
19 <bod
20 <div class="frame">
21
22
23
24   
25
26 </div>
27 </body>
28 </html>
29
```



index.html

```
i 1 <html>
2 <head>
3   <title>Activity2E</title>
4   <link rel="preload" href="train.jpg" as="image" />
5   <style>
6     .frame {
7       width: 100%;
8       height: 100%;
9     }
10  }
11  .heading {
12    color: blue;
13  }
14  .train {
15    width: 100%;
16    height: 100%;
17  }
18 </style>
19 </head>
20 <body>
21   <div class="frame">
22     <h1 class="heading">Wycheproof Loves Steam Trains!</h1>
23     
24   </div>
25 </body>
26 </html>
```

Make the heading a nice colour.
color: blue;



```
i 1 <html>
2 <head>
3   <title>Act
4   <link rel=
5 </style>
6 <div class="frame"
7
8
9
10
11 <h1 class="heading">Wycheproof Loves Steam Trains!</h1>
12
13
14 
15
16 </div>
17 </body>
18 </html>
19
20
21
22
23
24
25
26
27
28
29
```

Make the train picture a bit smaller.
width: 500px;

trinket Autorun

index.html

```
1 <html>
2 <head>
3   <title>Activity2E</title>
4   <link rel="preload" as="image" href="train.jpg">
5   <style>
6     .frame {
7
8
9
10    }
11   .head
12     c
13     ue;
14   .train
15     wi
16   }
17 </style>
18 </head>
19 <bo
20 <
21
22
23
24
25
26 <
27 </bo
28 </html>
29
```

Move the page into the centre of the screen

width: 500px;

margin: auto;



trinket



Aurorun




index.html

```
i 1 <html>
2 <head>
3   <title>Activity2E</title>
4   <link rel="preload" as="image" href="train.jpg">
5   <style>
6     .frame {
7       width: 500px;
8       margin:auto;
9
10    }
11   .heading {
12     color:blue;
13   }
14   .train {
15     width: 500px;
16   }
17 </style>
18 </head>
19 <body>
20
21
22
23
24
25
26
27
28 </html>
29
```

Move the heading into the centre of the page.

text-align: center;

Final answer.



The screenshot shows a web editor interface. At the top, there is a navigation bar with a hamburger menu icon, the 'trinket' logo, a 'Autorun' button with a refresh icon, and a dropdown arrow. Below the navigation bar, the editor shows a file named 'index.html'. The code is as follows:

```
i 1 <html>
2 <head>
3   <title>Activity2E</title>
4   <link rel="preload" as="image" href="train.jpg">
5   <style>
6     .frame {
7       width: 500px;
8       margin:auto;
9       text-align: center;
10    }
11   .heading {
12     color:blue;
13   }
14   .train {
15     width: 500px;
16   }
17 </style>
18 </head>
19 <body>
20 <div class="frame">
21
22   <h1 class="heading">Wycheproof Loves Steam Trains!</h1>
23
24   
25
26 </div>
27 </body>
28 </html>
29
```